

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**


**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown Atty Docket: NDTCO.029A


Figure 1 Transfection Efficiency of 293 Cells



*CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION*

*Tanaka et al.*


*Appl. No.: Unknown Atty Docket: NDTCO.029A*



*CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION*

*Tanaka et al.*

*Appl. No.: Unknown Atty Docket: NDTCO.029A*




CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown

Atty Docket: NDTCO.029A

Figure 4 Inhibition of Luciferase Activity by siRNA Delivery




CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown

Atty Docket: NDTCO.029A



CULTURE DEVICE AND METHOD FOR EUKARYOTIC CELL  
TRANSFECTION

Tanaka et al.

Appl. No.: Unknown

Atty Docket: NDTCO.029A




Figure 7 Epifluorescent micrographs of transfected cells

